

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 10 of 18

REMARKS

This communication is responsive to the Office Action mailed 2 May 2006. In this paper, the Applicant has amended claims 1, 3, 9, 24 and 27. The Applicant submits that these amendments are completely supported by the application as originally filed and contain no new matter.

Claims 1-28 are currently pending.

Allowable Subject Matter - Claims 3-6, 20-23, 27 and 28

The Office Action indicates that claims 20-23 are allowed.

The Office Action indicates further that claims 3-6, 27 and 28 would be allowable if rewritten in independent form to incorporate the features of their respective base claims and any intervening claims. The Applicant has done this by amending claim 3 to incorporate the features of claim 1 and by amending claims 27 to incorporate the feature of claim 24. Based on these amendments, claims 3 and 27 are in condition for allowance. Claims 4-6 depend from claim 3 and claim 28 depends from claim 27 and are submitted to be allowable for at least this reason.

Claims 1 and 2

The Office Action raises US patent No. 6,775,284 (Calvignac et al.) and US patent publication No. 2004/0208122 (McDysan) in connection with claims 1 and 2. The Applicant submits that claims 1 and 2 patentably distinguish the combination of Calvignac et al. and McDysan.

As understood by the Applicant, Calvignac et al. disclose a method for protocol and frame classification in a data processing system which includes analyzing a portion of the packet or frame according to predetermined tests, then storing key characteristics of the packet for use in subsequent processing of the frame. The stored key characteristics of the packet are then used by the network processing system in its further processing of the frame. The processor is preconditioned with a starting instruction address and the location of the beginning of the layer 3 header as well as flags for the type of frame. That is, the

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 11 of 18

instruction address or code entry point is used by the processor to start processing for a frame at the right place, based on the type of frame.

The portion of Calvignac et al. which describes protocol and frame classification includes Figures 4 and 5 and the accompanying description at col. 10, ln. 44-col. 12, ln. 39. As shown in Figure 4, Calvignac et al. disclose a hardware classifier 118 which assists a packet processor 110. Hardware classifier 118 examines up to the first 384 bits of an incoming frame and determines a location 122a-122f within instruction memory 122 of processing instructions to be executed on the particular frame being processed. Hardware classifier 118 looks at various bytes of the frame to determine: (i) if the "Ethernet type" of the frame matches a known protocol (block 210); (ii) whether the SAP field of the frame matches a known protocol (block 220); (iii) whether the frame contains a SNAP field representing a different type of encapsulation (block 240); and (iv) whether VLAN usage is present in the frame (block 250). This process (disclosed in Figure 5 and the accompanying description at col. 11, ln. 55 to col. 12, ln. 39) involves looking at particular bytes of the frame and comparing these bytes to expected values for particular known protocols and encapsulation methods.

The output of blocks 210, 220, 240 and 250 is provided to classification controller 260. Classification controller 260 looks up the information obtained from blocks 210, 220, 240 and 250 in a look-up table (unlabelled in Figure 4, but referred to in the description as "table 280"). Each entry in table 280 corresponds to a particular combination of the information determined in blocks 210, 220, 240, 250. The entries in table 280 represent pointers 122a-122f to locations in instruction memory 122. The table 280 pointers 122a-122f specify locations in instruction memory 122 of instructions to be carried out on the particular frame being processed. Hardware classifier 118 provides one of the pointers 122a-122f to packet processor 110 as signal 176. Packet processor 110 then fetches the appropriate instructions from instruction memory 122 and processes the frame accordingly.

Claim 1 recites "a) obtaining first information regarding a packet; b) using the first information as an index into a parser memory; c) retrieving from the parser memory an entry comprising a location in the packet of one or more protocol bits specifying a protocol associated with the packet." The Applicant submits that Calvignac et al. do not disclose this combination of claim 1 features. The Examiner expresses the view that the ETYPE compare block 250, the SAP compare block 220 and the table 280 disclosed by Calvignac

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 12 of 18

et al "together are a parser memory" (see pages 2 and 3 of the Office Action). However, as shown in Figure 4, the only inputs to this alleged parser memory are FISH1, FISH2 and FISH3. FISH1, FISH2 and FISH3 are parts of the frame itself and are not used "as an index into a parser memory" as recited in claim 1.

In contrast to claim 1, Calvignac et al. describe a series of guesses as to the location of protocol bits within the incoming frame (see Figure 5 and col. 11, ln. 55 to col. 12, ln. 39). This series of guesses involves looking at particular bytes of the frame and comparing these bytes to expected values for particular known protocols and encapsulation methods (see compare blocks 320, 322, 324, 340, 350, 360 and 370). This process does not amount to "using the first information as an index into parser memory" as recited in claim 1. Calvignac et al. do not teach or suggest any component which could be properly interpreted as an index to the alleged parser memory.

Claim 1 also recites "d) obtaining a match engine index; and, e) combining the protocol bits and the match engine index to generate a key for retrieving a match engine entry from a match engine memory, the match engine entry comprising an action to take on the packet." The Examiner correctly states (on page 3 of the Office Action) that Calvignac et al. "does not specifically disclose that both the protocol bits an [sic] the match engine index are used as a key to the memory". However, the Examiner contends (on pages 6 and 7 of the Office Action) that this deficiency of Calvignac et al. is overcome by McDysan.

According to the Examiner, McDysan discloses "using a protocol type as well as other packet header information, to index a table containing instructions regarding the processing of a packet" at paragraph [0046]. McDysan refers to a classifier table 82 which may have a number of indices including Source Address (SA) and Destination Address (DA), Source Port (SP), Destination Port (DP), Protocol Type (PT), DSCP or other field from the packet's headers. Table 82 is shown in Figure 4. As explained in paragraph [0047] and shown in Figure 4, each of the indices of table 82, including the protocol type (PT), is used independently to index table 82 (i.e. each of the indices represents a separate column of table 82). Locating instructions in table 82 requires each of the indices to be considered separately. McDysan does not disclose combining the protocol type (PT) with any other information to obtain a single key to a match engine memory. More particularly, McDysan fails to teach or suggest the claim 1 feature of "combining the protocol bits and

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 13 of 18

the match engine index to generate a key for retrieving a match engine entry from a match engine memory."

Based on this reasoning, the Applicant submits that claim 1 patentably distinguishes the combination of Calvignac et al. and McDysan. Claim 2 depends from claim 1 and is submitted to patentably distinguish the combination of Calvignac et al. and McDysan for at least this reason.

Claim 7

The Office Action raises Calvignac et al., McDysan and US patent No. 6,289,414 (Feldmeier et al.) in connection with claim 7.

Claim 7 depends from claim 1. The Applicant submits that Feldmeier et al. fail to remedy the above-discussed deficiencies of Calvignac et al. and McDysan. Accordingly, the Applicant submits that claim 7 patentably distinguishes the combination of Calvignac et al., McDysan and Feldmeier et al.

Claim 8

The Office Action raises Calvignac et al., McDysan and US patent publication No. 2002/0163935 (Paatela et al.) in connection with claim 8.

Claim 8 depends from claim 1. The Applicant submits that Paatela et al. fail to remedy the above-discussed deficiencies of Calvignac et al. and McDysan. Accordingly, the Applicant submits that claim 8 patentably distinguishes the combination of Calvignac et al., McDysan and Paatela et al.

Claim 9

The Office Action raises the combination of Calvignac et al. and McDysan in connection with claim 9. The Applicant submits that claim 9 patentably distinguishes the combination of Calvignac et al. and McDysan.

Claim 9 recites "a step for obtaining first information regarding a packet; a step for using the first information as an index to retrieve an entry from a parser memory; and a step for retrieving from the packet one or more protocol bits identified by the parser

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 14 of 18

memory entry." Again the Examiner contends that the Calvignac et al. ETYPE compare block 250, SAP compare block 220 and table 280 "together are a parser memory". However, as discussed above in relation to claim 1, Calvignac et al. do not teach or suggest any component which could be properly interpreted as "an index to retrieve an entry from a parser memory" as recited in claim 9. In contrast, Calvignac et al. describe a series of guesses as to the location of protocol bits within an incoming frame (see compare blocks 320, 322, 324, 340, 350, 360 and 370 of Figure 5 and col. 11, ln. 55 to col. 12, ln. 39). This process does not amount to "a step for using the first information as an index to retrieve an entry from a parser memory" as recited in claim 9.

The Examiner correctly states (on page 4 of the Office Action) that Calvignac et al. "does not specifically disclose that both the protocol bits an [sic] the match engine index are used as a key to the memory". The Examiner contends (on pages 6 and 7 of the Office Action) that McDysan shows this feature missing from Calvignac et al. However, claim 9 recites "a step for retrieving from a match engine memory a match engine memory entry comprising an action to perform using a match engine key comprising a combination of the protocol bits and a match engine index." As discussed above in relation to claim 1, McDysan shows a look up table 82 that can be indexed by a plurality of independent indices, one of which includes the protocol type (PT). However, McDysan fails to disclose combining the protocol type (PT) with any other indices or any other information to obtain a single key for retrieving a match engine entry from a match engine memory. More particularly, McDysan fails to teach or suggest the claim 9 feature of "a step for retrieving from a match engine memory a match engine memory entry comprising an action to perform using a match engine key comprising a combination of the protocol bits and a match engine index."

Based on this reasoning, the Applicant respectfully submits that claim 9 patentably distinguishes the combination of Calvignac et al. and McDysan.

Claims 10 and 11

The Office Action raises Calvignac et al., McDysan and Paatela et al. in connection with claims 10 and 11.

Claims 10 and 11 depend from claim 9. The Applicant submits that Paatela et al. fail to remedy the above-discussed deficiencies of Calvignac et al. and McDysan.

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 15 of 18

Accordingly, the Applicant submits that claims 10 and 11 patentably distinguish the combination of Calvignac et al., McDysan and Paatela et al.

Claims 12

The Office Action raises Calvignac et al. and McDysan in connection with claim 12. The Applicant submits that claim 12 patentably distinguishes the combination of Calvignac et al. and McDysan.

Claim 12 recites "a control logic circuit; a parser memory accessible to the control logic circuit the parser memory comprising a plurality of entries each specifying a location in a packet of one or more protocol bits and at least some of which specifying a match engine index; a match engine memory accessible to the control logic circuit, the match engine memory comprising a plurality of entries each specifying an action to be taken; and, a context memory accessible to the control logic circuit, the context memory comprising a plurality of entries each specifying a match engine index."

Again the Examiner expresses the view that the Calvignac et al. ETYPE compare block 250, SAP compare block 220 and table 280 "together are a parser memory". The Examiner contends that ETYPE compare block 250 and SAP block 220 have entries specifying the location of protocol bits within a packet. This contention is erroneous. ETYPE compare block 250 and SAP block 220 operate by making a series of guesses as to the location of protocol bits within a frame (see compare blocks 320, 322, 324, 340, 350, 360 and 370 of Figure 5 and col. 11, ln. 55 to col. 12, ln. 39). ETYPE compare block 250 and SAP block 220 do not comprise "a plurality of entries each specifying a location in a packet of one or more protocol bits" as recited in claim 12.

The Examiner also expresses the view that instruction memory 112 disclosed by Calvignac et al. has the features of the match engine memory recited in claim 12. However, in addition to a parser memory and a match engine memory, claim 12 recites "a context memory accessible to the control logic circuit, the context memory comprising a plurality of entries each specifying a match engine index." The Examiner has not alluded to any disclosure of Calvignac et al. which shows such a context memory. The Applicant submits that Calvignac et al. fail to disclose or suggest a context memory having the features recited in claim 12.

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 16 of 18

The Examiner correctly notes (on page 5 of the Office Action) that Calvignac et al. "does not specifically disclose that both the protocol bits an [sic] the match engine index are used as a key to the memory". The Examiner contends (on pages 6 and 7 of the Office Action) that McDysan shows this feature missing from Calvignac et al. However, claim 12 recites "the control logic circuit is configured to generate a match engine key by combining protocol bits of a packet identified in a parser memory entry with a match engine index from an entry of either the parser memory or the context memory, to retrieve from the match engine memory an entry corresponding to the match engine key." As discussed above in relation to claim 1, McDysan shows a look up table 82 that can be indexed by a plurality of independent indices, one of which includes the protocol type (PT). However, McDysan fails to disclose combining the protocol type (PT) with any other indices or any other information to obtain a single key for retrieving a match engine entry from a match engine memory. More particularly, McDysan fails to teach or suggest the claim 12 feature of "the control logic circuit is configured to generate a match engine key by combining protocol bits of a packet identified in a parser memory entry with a match engine index from an entry of either the parser memory or the context memory, to retrieve from the match engine memory an entry corresponding to the match engine key."

Based on this reasoning, the Applicant respectfully submits that claim 12 patentably distinguishes the combination of Calvignac et al. and McDysan.

Claims 13-19

The Examiner raises Calvignac et al., McDysan and Paatela et al. in connection with claims 13-19.

Claims 13-19 depend from claim 12. The Applicant submits that Paatela et al. fail to remedy the above-discussed deficiencies of Calvignac et al. and McDysan. Accordingly, the Applicant submits that claims 13-19 patentably distinguish the combination of Calvignac et al., McDysan and Paatela et al.

Claim 24

The Office Action raises Calvignac et al. and McDysan in connection with claim 24. The Applicant submits that claim 24 patentably distinguishes the combination of Calvignac et al. and McDysan.

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 17 of 18

Claim 24 recites "means for retrieving first information about a received packet; means for using the first information as an index to a parser memory to retrieve, from the parser memory, a parser memory entry corresponding to the first information, the parser memory entry comprising a location in the packet of one or more protocol bits specifying a protocol associated with the packet and a match engine index." Again the Examiner contends that the Calvignac et al. ETYPE compare block 250, SAP compare block 220 and table 280 "together are a parser memory". However, as discussed above in relation to claim 1, Calvignac et al. do not teach or suggest "using the first information as an index to a parser memory" as recited in claim 24. In contrast, Calvignac et al. describe a series of guesses as to the location of protocol bits within an incoming frame (see compare blocks 320, 322, 324, 340, 350, 360 and 370 of Figure 5 and col. 11, ln. 55 to col. 12, ln. 39). This process does not amount to "using the first information as an index to a parser memory to retrieve, from the parser memory, a parser memory entry corresponding to the first information" as recited in claim 24.

The Examiner correctly notes (on page 6 of the Office Action) that Calvignac et al. "does not specifically disclose that both the protocol bits an [sic] the match engine index are used as a key to the memory". The Examiner contends (on pages 6 and 7 of the Office Action) that McDysan shows this feature missing from Calvignac et al. However, claim 24 recites "means for combining the protocol bits with the match engine index to generate a match engine key; means for retrieving an action corresponding to one of a plurality of match engine entries which matches the match engine key." As discussed above in relation to claim 1, McDysan shows a look up table 82 that can be indexed by a plurality of independent indices, one of which includes the protocol type (PT). However, McDysan fails to disclose combining the protocol type (PT) with any other indices or any other information to obtain a single key for retrieving a match engine entry from a match engine memory. More particularly, McDysan fails to teach or suggest the claim 24 feature of "means for combining the protocol bits with the match engine index to generate a match engine key; means for retrieving an action corresponding to one of a plurality of match engine entries which matches the match engine key."

Based on this reasoning, the Applicant respectfully submits that claim 24 patentably distinguishes the combination of Calvignac et al. and McDysan.

Application No. 09/988,939
Amendment dated 1 August 2006
Reply to Office Action of 2 May 2006

Page 18 of 18

Claims 25 and 26

The Examiner raises Calvignac et al., McDysan and Paatela et al. in connection with claims 25 and 26.

Claims 25 and 26 depend from claim 24. The Applicant submits that Paatela et al. fail to remedy the above-discussed deficiencies of Calvignac et al. and McDysan. Accordingly, the Applicant submits that claims 25 and 26 patentably distinguish the combination of Calvignac et al., McDysan and Paatela et al.

Conclusion

The Applicant submits that the foregoing amendments place this application in condition for allowance. The Applicant respectfully requests reconsideration and allowance of this application.

Respectfully submitted,

By: 

Blake R. Wiggs
Registration No. 29,505
tel: 604.669.3432 ext. 8936
fax: 604.681.4081
e-mail: bwiggs@patentable.com

Vancouver, B.C.
CANADA